






CHOOSING COLOUR

YOUR GUIDE TO EXTERIOR RESIDENTIAL **POWDER COATING**





Performance

Meets the following performance standards:

- Australian Standard 3715-2002: Metal finishing
 Thermoset powder coatings for architectural applications of aluminium and aluminium alloys.
- Australian Standard 4506-2005:
 Metal finishing Thermoset powder coatings.
- American Architectural Manufacturers Association, AAMA 2603-2013.
- 10 Year Residential Durability Warranty* when applied by a Dulux® Registered Applicator on residential projects (NCC, BCA Volume 2, Class 1 and 10 buildings), up to 3 floors from the ground and greater than 100 metres from salt water.

*Subject to the terms and conditions of the product warranty. Please contact your Dulux Representative for further details.

Less energy, faster production

When compared to standard cure products RAPIDCURE™ requires less energy to cure:

- 160° Celsius for 10 minutes (minimum)
- 180° Celsius for 5 minutes
- 200° Celsius for 2 minutes (maximum)

Specifying the right product and colour

Some colours, whether powder, paints or furnishings may share the same colour name but be entirely different. This is especially true of other powder suppliers that use the same colour names for their products. To avoid disappointment when choosing colour remember to specify:

- 1. Dulux[®] RAPIDCURE™
- 2. Colour name and code.
- 3. To be applied by a Dulux® Registered Applicator in accordance with Australian Standard 3715 or AAMA 2603.





Jet Pearl

9144Q

Essential Silver Pearl New Bright White Glow Pearl 7471Q 3146Q 84636 Gloss **Urban Silver Pearl Bubbly Pearl Pearl White** Gloss 7467Q 8229Q 1229G **Supreme Silver Pearl Propeller Pearl Classic White** Gloss 7466Q 8230Q 1228G **Trophy Pearl Typhoon Pearl White Satin** Satin 7470Q 7469Q 1139S Shoji White **Sword Pearl Deep Bronze Pearl** 7468Q 8228Q 84682 Satin

Starry Night Pearl

9139Q

Surfmist®

1137S Satin

84758 Matt







Special White Birch 2057G Gloss

Grey Nurse 50060 Gloss **Off White** 31495

Satin

Gloss



Primrose 84365

Oyster 36858 Matt

Shale Grey® 83246

Satin



Classic Cream®

2095S Satin 84732 Matt **APO Grey** 32786 Satin **Dune®** 3087S

Satin



Paperbark®


Satin 3135S

Stone Grey 78126

Windspray® 7256S

Satin

Satin



Stone Beige

32538 Matt **Wallaby**®

7474S Satin 7476M Matt **Gully**®

8233S Satin 8235M Matt






Doeskin

32516 Satin **Woodland Grey®**

6255S Satin 6256M Matt **Jasper®**

8122S Satin

Phone Dulux® Customer Service on 13 24 99 or visit www.duluxpowders.com.au





CALL 13 2499

F. 1800 804 649

www.duluxpowders.com.au



Dulux is a registered trademark and RAPIDCURE is a trademark of DuluxGroup (Australia) Pty Ltd. Colorbond and Colorbond colour names denoted by the ® symbol are registered trademarks of Bluescope Steel Ltd. Over time the durability performance between Colorbond and Dulux Powder Coatings may vary. Any advice, recommendation, information, assistance or service provided by DuluxGroup (Australia) Pty Ltd in relation to goods manufactured by it or use and application is given in good faith and is believed by DuluxGroup (Australia) Pty Ltd to be appropriate and reliable. However, any advice, recommendation, information, assistance or service provided by DuluxGroup (Australia) Pty Ltd is provided without liability or responsibility PROVIDED THAT the foregoing shall not exclude, limit, restrict or modify the rights, entitlements and remedies conferred upon any reason, or liabilities imposed by DuluxGroup (Australia) Pty Ltd by any condition or warranty imposed by a Commonwealth, State or Territory Act or ordinance rendering void or prohibiting such exclusion, limitation, restriction or modification. The images shown in this brochure are examples of where Dulux Powder and Industrial Coatings can and have been used. The information in this brochure is true and correct at the time of print. The colours represented in this brochure are indicative only. They have been matched to outdoor viewing and are as close to the actual product colours as modern printing techniques allow. Colour appearance may vary according to light source. Always confirm your colour choice with Dulux Powder & Industrial Coatings Sample Chips.

® Copyright 2014 DuluxGroup (Australia) Pty Ltd.





